

LAB 2 IAD

INAYAT ARSHAD

CODE IMPLEMENTATION

(PROBLEM 1)

//DEFAULT.ASPX

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Default.aspx.vb"
Inherits="_Default"
%>
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
<title></title>
</head>
<body>
<form id="form1" runat="server">
<div>
this is a web page
</div>
</form>
</body>
</html>
```

//DEFAULT.ASPX.VB

```
Partial Class _Default
    Inherits System.Web.UI.Page
End Class
```

(PROBLEM 2)

//DEFAULT.ASPX

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Default.aspx.vb"
Inherits="_Default"
%>
<!DOCTYPE html>
<html>
<head runat="server">
<title>ASP.NET Page Life Cycle Demo</title>
</head>
<body>
<form id="form1" runat="server">
<div>
<h2>ASP.NET Page Life Cycle Events</h2>
<p id="events" runat="server"> Events will be displayed here <br/><br /><br
/></p>
</div>
</form>
</body>
</html>
```

CODE IMPLEMENTATION: LAB 2

//DEFAULT.ASPX.VB

Imports System.Web.UI

Partial Class _Default
Inherits Page

Protected Sub Page_Init(ByVal sender As Object, ByVal e As EventArgs) Handles
Me.Init
events.InnerHtml &= "Page Init Event Triggered

"
End Sub

Protected Sub Page_Load(ByVal sender As Object, ByVal e As EventArgs) Handles
Me.Load
events.InnerHtml &= "Page Load Event Triggered

"
End Sub

Protected Sub Page_PreRender(ByVal sender As Object, ByVal e As EventArgs)
Handles Me.PreRender
events.InnerHtml &= "Page Pre Render Event Triggered

"
End Sub

Protected Sub Page_Unload(ByVal sender As Object, ByVal e As EventArgs) Handles
Me.Unload
events.InnerHtml &= "Page Unload Event Triggered

"
End Sub
End Class